



Established 1906

WT KNOWLES & SONS LIMITED

Construction Products Regulation 305/2011 Declaration of Performance

No. WTK/SFT/KNO180 - KNO205

Manufacturer

W T Knowles & Sons Limited

Ash Grove Pipe Works

Elland

West Yorkshire

HX5 9JA

www.wtknowles.co.uk

Restricted Flue Terminal

Gas Terminal KNO180 - KNO205



Dimensions

Base: Outside diameter 185mm

Inside diameter 150mm

Top: Outside diameter 245mm

Height: KNO180 KNO205

mm 380 380

Intended Use

To be fixed into an existing chimney pot or flue liner, to convey combustion gases from a gas fire safely into the atmosphere.

Compliance

Conforms to harmonised standard: BS EN 13502:2002 Type 2 - restricted flue terminal
Annex ZA.1 Attestation of conformity system - 4

Performance Characteristic

Flow Resistance (K): Maximum 2 (Declared)

Durability: Freeze/Thaw Pass - BSI Test Report 8422446

Dangerous Substances: Not applicable

Markings

WTK EN 13502 Type 2 C€

OD / ID / HT WTK DATE (DDMMYY)

The performance of the products described above is in conformity with the declared Performance Characteristic when installed and used in accordance with the manufacture's instructions.
This declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: Martin Knowles

Managing Director

Elland 4th June 2018
Place and Date of Issue