



Established 1906

WT KNOWLES & SONS LIMITED

Construction Products Regulation 305/2011 Declaration of Performance

No. WTK/SFT/KNOTC7

Manufacturer

W T Knowles & Sons Limited

Ash Grove Pipe Works

Elland

West Yorkshire

HX5 9JA

www.wtknowles.co.uk

Restricted Flue Terminal

Single Combi Gas Terminal KNOTC7



Dimensions

Base: Outside diameter 300mm

Inside diameter 260mm

Top: Outside diameter 245mm

Height: KNOTC7

mm 540

Intended Use

To be fixed onto a masonry chimney stack, over the flue liner, to convey combustion gases from a gas fire safely into the atmosphere.

Compliance

Conforms to harmonised standard: BS EN 13502:2002 Type 2 - restricted flue terminal
Annex ZA.1 Attestation of conformity system - 4

Performance Characteristic

| | |
|-------------------------|--------------------------------|
| Flow Resistance (K): | Maximum 2 (Declared) |
| Durability: Freeze/Thaw | Pass - BSI Test Report 8422446 |
| Dangerous Substances: | Not applicable |

Markings

| | |
|---------------------|-------------------|
| WTK EN 13502 Type 2 | CE |
| OD / ID / HT | WTK DATE (DDMMYY) |

The performance of the products described above is in conformity with the declared Performance Characteristic when installed and used in accordance with the manufacture's instructions.
This declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: Martin Knowles

Managing Director

Elland 4th June 2018
Place and Date of Issue