



Established 1906

WT KNOWLES & SONS LIMITED

# Construction Products Regulation 305/2011 Declaration of Performance

No. WTK/SFT/KYQ20H

## Manufacturer

## W T Knowles & Sons Limited

Ash Grove Pipe Works

Elland


West Yorkshire

HX5 9JA

www.wtknowles.co.uk

## Restricted Flue Terminal

### Hooded Square Pot KYQ20H



## Dimensions

Base: Outside square 300mm

Inside square 240mm

Top: Wide 300mm

Height: KYQ20H

mm 775

## Intended Use

To be fixed on a masonry chimney stack, over the flue liner, to convey combustion gases from a solid fuel fire safely into the atmosphere

## Compliance

Conforms to harmonised standard: BS EN 13502:2002 Type I - restricted flue terminal  
Annex ZA.1 Attestation of conformity system - 4

## Performance Characteristic

Flow Resistance (K): Pass

Durability: Freeze/Thaw Pass - BSI Test Report 8422446

Dangerous Substances: Not applicable

## Markings

WTK EN 13502 Type I

CE

OD / ID / HT

WTK

DATE (DDMMYY)

The performance of the products described above is in conformity with the declared Performance Characteristic when installed and used in accordance with the manufacture's instructions.  
This declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: Martin Knowles

Managing Director

Elland 4<sup>th</sup> June 2018  
Place and Date of Issue